

behaviors

**How to respond when
dementia causes
unpredictable behaviors**



Alzheimer's disease and related dementias can cause a person to act in different and unpredictable ways. Some individuals with Alzheimer's become anxious or aggressive. Others repeat certain questions or gestures. Many misinterpret what they hear.

These types of reactions can lead to misunderstanding, frustration and tension, particularly between the person with dementia and the caregiver. It is important to understand that the person is not acting that way on purpose.

Behavior may be related to:

- **Physical discomfort**
Illnesses or medication
- **Overstimulation**
Loud noises or a busy environment
- **Unfamiliar surroundings**
New places or the inability to recognize home
- **Complicated tasks**
Difficulty with activities or chores
- **Frustrating interactions**
Inability to communicate effectively



Use this three-step approach to help identify common behaviors and their causes:

1. Identify and examine the behavior

- What was the behavior? Was it harmful to the individual or others?
- What happened just before the behavior occurred? Did something trigger it?
- What happened immediately after the behavior occurred? How did you react?
- Consult a physician to identify any causes related to medications or illness.

2. Explore potential solutions

- What are the needs of the person with dementia? Are they being met?
- Can adapting the surroundings comfort the person?
- How can you change your reaction or your approach to the behavior? Are you responding in a calm and supportive way?

3. Try different responses

- Did your new response help?
- Do you need to explore other potential causes and solutions? If so, what can you do differently?

Aggression

Aggressive behaviors may be verbal (shouting, name-calling) or physical (hitting, pushing). These behaviors can occur suddenly, with no apparent reason, or can result from a frustrating situation. Whatever the case, it is important to try to understand what is causing the person to become angry or upset.

How to respond:

Try to identify the immediate cause

Think about what happened right before the reaction that may have triggered the behavior.

Focus on feelings, not facts

Rather than focusing on specific details, consider the person's emotions. Look for the feelings behind the words.

Don't get upset

Be positive and reassuring. Speak slowly in a soft tone.

Limit distractions

Examine the person's surroundings, and adapt them to avoid other similar situations.

Try a relaxing activity

Use music, massage or exercise to help soothe the person.

Shift the focus to another activity

The immediate situation or activity may have unintentionally caused the aggressive response. Try something different.

Anxiety or agitation

A person with Alzheimer's may feel anxious or agitated. He or she may become restless and need to move around or pace. Or, the person may become upset in certain places or focused on specific details.

How to respond:

Listen to the frustration

Find out what may be causing the anxiety, and try to understand.

Provide reassurance

Use calming phrases. Let the individual know you're there.

Involve the person in activities

Try using art, music or other activities to help the person relax.

Modify the environment

Decrease noise and distractions, or move to another place.

Find outlets for energy

The person may be looking for something to do. Take a walk, or go for a car ride.

Confusion

The person with Alzheimer's may not recognize familiar people, places or things. He or she may forget relationships, call family members by other names or become confused about where home is. The person may also forget the purpose of common items, such as a pen or fork. These situations are difficult for caregivers and require much patience and understanding.

How to respond:

Stay calm

Although being called by a different name or not being recognized can be painful, try not to make your hurt apparent.

Respond with a brief explanation

Don't overwhelm the person with lengthy statements and reasons. Instead, clarify with a simple explanation.

Show photos and other reminders

Use photographs and other thought-provoking items to remind the person of important relationships and places.

Offer corrections as suggestions

Avoid explanations that sound like scolding. Try "I thought it was a fork," or "I think he is your grandson Peter."

Try not to take it personally

Remember, Alzheimer's disease causes your loved one to forget, but your support and understanding will continue to be appreciated.



Repetition

A person with Alzheimer's may do or say something over and over again – like repeating a word, question or activity. In most cases, he or she is probably looking for comfort, security and familiarity.

The person may also pace or undo what has just been finished. These actions are rarely harmful to the person with Alzheimer's but can be stressful for the caregiver.

How to respond:

Look for a reason behind the repetition

Try to find out if there is a specific cause or trigger for the behavior.

Focus on the emotion, not the behavior

Rather than reacting to what the person is doing, think about how he or she is feeling.

Turn the action or behavior into an activity

If the person is rubbing his or her hand across the table, provide a cloth and ask for help with dusting.

Stay calm, and be patient

Reassure the person with a calm voice and gentle touch.

Provide an answer

Give the person the answer that he or she is looking for, even if you have to repeat it several times.



Engage the person in an activity

The individual may simply be bored and need something to do. Provide structure and engage the person in a pleasant activity.

Use memory aids

If the person asks the same questions over and over again, offer reminders by using notes, clocks, calendars or photographs, if these items are still meaningful to the individual.

Accept the behavior, and work with it

If it isn't harmful, don't worry about it. Find ways to work with it.

Suspicion

Memory loss and confusion may cause the person with Alzheimer's to perceive things in new, unusual ways. Individuals may become suspicious of those around them, even accusing others of theft, infidelity or other improper behavior. Sometimes the person may also misinterpret what he or she sees and hears.

How to respond:

Don't take offense

Listen to what is troubling the person, and try to understand that reality. Then be reassuring, and let the person know you care.

Don't argue or try to convince

Allow the individual to express ideas.
Acknowledge his or her opinions.

Offer a simple answer

Share your thoughts with the individual, but keep it simple. Don't overwhelm the person with lengthy explanations or reasons.

Switch the focus to another activity

Engage the individual in an activity, or ask for help with a chore.

Duplicate any lost items

If the person is often searching for a specific item, have several available. For example, if the individual is always looking for his or her wallet, purchase two of the same kind.



Wandering

It's common for a person with dementia to wander and become lost. In fact, more than 60 percent of individuals with Alzheimer's will wander at some point. They may try to go home when already there or may be attempting to recreate a familiar routine, such as going to school or work.

How to respond:

Encourage activity

Keeping the person with Alzheimer's active and engaged will discourage wandering behavior by reducing anxiety and restlessness. Involve the person in daily activities such as doing dishes, folding laundry or preparing dinner.

Inform others

Make sure friends, family and neighbors know that the person has Alzheimer's and that wandering may occur.

Make the home safe

Install deadbolt or slide-bolt locks on exterior doors, and limit access to potentially dangerous areas. Never lock the person with dementia in a home without supervision.

Enroll in MedicAlert® + Alzheimer's Association Safe Return®

MedicAlert + Safe Return is a 24-hour, nationwide emergency response service for individuals with dementia who wander or have a medical emergency. The program provides assistance wherever and whenever a person is reported missing. Learn about MedicAlert + Safe Return and enroll at www.medicalert.org/safereturn.



Trouble with sleep

People with dementia often can have problems sleeping or may experience changes in their sleep schedule. Scientists don't completely understand why these sleep disturbances occur. As with changes in memory and behavior, sleep changes somehow result from the impact of Alzheimer's on the brain.

How to respond:

Make a comfortable environment

The person's sleeping area should be at an appropriate temperature. If helpful, provide nightlights or other security objects. Discourage watching television during periods of wakefulness at night.

Maintain a schedule

As much as possible, encourage the person with dementia to adhere to a regular routine of meals, waking up and going to bed. This will allow him or her to sleep more restfully at night.

Talk to a doctor

Discuss sleep disturbances with a doctor to help identify causes and possible solutions. Most experts encourage the use of non-drug measures rather than medication.

Avoid stimulants

Alcohol, caffeine and nicotine can all affect ability to sleep. Avoid them as much as possible to promote better sleep.

If you have questions about changing behavior, the Alzheimer's Association is here to help. Contact your local chapter through our 24/7 Helpline, which provides information, referral and care consultation in 140 languages:

1.800.272.3900

www.alz.org

10 quick tips

Responding to behaviors

- 1. Remain flexible, patient and calm**
- 2. Respond to the emotion, not the behavior**
- 3. Don't argue or try to convince**
- 4. Use memory aids**
- 5. Acknowledge requests, and respond to them**
- 6. Look for the reasons behind each behavior**
- 7. Consult a physician to identify any causes related to medications or illness**
- 8. Explore various solutions**
- 9. Don't take the behavior personally**
- 10. Share your experiences with others**

The Alzheimer's Association is the leading voluntary health organization in Alzheimer care, support and research. Our mission is to eliminate Alzheimer's disease through the advancement of research; to provide and enhance care and support for all affected; and to reduce the risk of dementia through the promotion of brain health.

**For reliable information and support,
contact the Alzheimer's Association:**

**www.alz.org
1.800.272.3900**

© 2010 Alzheimer's Association. All rights reserved.

This is an official publication of the Alzheimer's Association but may be distributed by unaffiliated organizations and individuals. Such distribution does not constitute an endorsement of these parties or their activities by the Alzheimer's Association.